



ACCESSORIES PRICE LIST

Part Number	Model Number	Description	Distributor Price
SIGNAGE			
16050		Exit sign	\$ 13.00
16051		Entry warning sign	13.00
16052		Isolate switch sign	8.00
16053		Manual pull station sign	8.00
16054		Manual cable pull station sign	8.00
RELEASING CONTROL PANEL			
3006142	PFC-4410-RC	Releasing control panel – 4 alarm inputs & 2 supervisory, 4 out puts, programmable menu, UL 9 th Edition, red, incl lock w/2 keys	\$ 625.00
RELEASING CONTROL ACCESSORIES			
3005014	EPD	Ematch protection (required for all UL installations)	\$ 9.00
3006221	ARM-44	8 Form C relay board for PFC-4410-RC UL/ULC	170.00
5090155	PFC-TR	Bezel for semi flush mounting, red	67.00
3004725	ARM-2	DPDT relays (3); 1 st alarm, 2 nd alarm, discharge functions	60.00
3001002	RCDS	Releasing circuits disable switch (lockout)	55.00
3001000	ABT	Abort switch	70.00
5130092	BT-40	Battery (12V) 5.0 AH (order 2)	18.00
5130084	BT-80	Battery (12V) 8.0 AH (order 2)	26.00
5130090	BT-120	Battery (12V) 12.0 AH (order 2)	41.00
5130086	BT-180	Battery (12V) 18.0 AH (order 2)	56.00
5250075	PFC-Key	Replacement panel key (master)	3.00
3005012	3005012	EOL Releasing Circuit (replacements – panel comes with 2)	5.00
SMOKE and HEAT DETECTORS			
1430011	PS-24	Photoelectric smoke detector (requires base)	35.00
1430012	PS-24H	Photoelectric Smoke/Heat Combo (requires base)	44.00
1430014	SB-46	Base – 46mA, 6" Base (PFC-4410RC)	6.00
1000140	CR-135	Combination rate of rise/fixed temp 135°F/57°C heat detector	11.50
1000141	CR-200	Combination rate of rise/Fixed temp 200°F/93°C heat detector	11.50
1000142	CF-135	Fixed temperature 135°F/57°C heat detector	11.50
1000143	CF-200	Fixed temperature 200°F/93°C heat detector	11.50
PULL STATIONS			
1000447	P32-1T	Single action, SPST, hex-key reset, red	\$ 20.00
1000476	P32-1T-LP	Dual action, SPST, hex-key reset, red	24.00
1000401	RMS-1T-WP	Single action, weatherproof, SPST, hex-key reset	70.00
HORN/STROBE			
4560060	SL-1224R	Selectable strobe indoor 12/24 VDC 6 settings, red	\$ 31.00
4560070	SH-1224R	Selectable horn/strobe 12/24 6 settings indoor, red	40.00
4560061	SL-1224W	Selectable horn/strobe 12/24 6 settings indoor, white	40.00
4700050	SL-1224WP-R	Strobe weatherproof with BBX-5 backbox, red	50.00
4710010	SH-1224WP-R	Horn/strobe weatherproof with BBX-5 backbox, red	72.00
BRACKETS			
18275		1000/1500/2500 SS – 8" penetrator bracket, 1-99 pcs.	\$587.00
18275		1000/1500/2500 SS – 8" penetrator bracket, 100+ pcs.	500.00

Stat-X® is manufactured exclusively by Fireaway in the USA.

Fireaway Inc.

5852 Baker Road, Minnetonka, MN 55345 U.S.A.

Tel: 952-935-9745

Fax: 952-935-9757

Stat-X • Accessories Price List • Effective Date 01-23-2012



ACCESSORIES PRICE LIST

Part Number	Model Number	Description	Distributor Price
PROTECT-O-WIRE LHD CABLE*			
PHSC-155-EPC		Linear Heat Detector Cable, Type EPC 155°F / 68°C	\$ 1.95/ft
PHSC-190-EPC		Linear Heat Detector Cable, Type EPC 190°F / 88°C	1.95/ft
PHSC-220-EPC		Linear Heat Detector Cable, Type EPC 220°F / 105°C	1.95/ft
PHSC-280-EPC		Linear Heat Detector Cable, Type EPC 280°F / 138°C	1.95/ft
PHSC-356-EPC		Linear Heat Detector Cable, Type EPC 356°F / 180°C	2.05/ft
PHSC-155-EPR		Linear Heat Detector Cable, Type EPR 155°F / 68°C	2.10/ft
PHSC-190-EPR		Linear Heat Detector Cable, Type EPR 190°F / 88°C	2.10/ft
PHSC-280-EPR		Linear Heat Detector Cable, Type EPR 280°F / 138°C	2.10/ft
PHSC-356-EPR		Linear Heat Detector Cable, Type EPR 356°F / 180°C	2.19/ft
PHSC-6893-TRI		LHD Cable, Dual Temp. 155°- 200°F / 68°-93°C	2.19/ft
PHSC-155-XCR		Linear Heat Detector Cable, Type XCR 155°F / 68°C	2.19/ft
PHSC-190-XCR		Linear Heat Detector Cable, Type XCR 190°F / 88°C	2.19/ft
PHSC-220-XCR		Linear Heat Detector Cable, Type XCR 220°F / 105°C	2.19/ft
PHSC-280-XCR		Linear Heat Detector Cable, Type XCR 280°F / 138°C	2.19/ft
PHSC-356-XCR		Linear Heat Detector Cable, Type XCR 356°F / 180°C	2.19/ft
PHSC-135-XLT		Linear Heat Detector Cable, Type XLT 356°F / 180°C	2.05/ft
PROTECT-O-WIRE SPLICING CONNECTORS AND TERMINATION*			
PWSC		Splicing Connector, 2 Point (10/pk)	\$ 9.40
PWSC -3		Splicing Connector, 3 Point (10/pk)	9.40
PWS		Splicing Sleeves (10/pk)	9.40
PFL		Flexible Leads (pair)	14.00
SR-502		Series Junction Box Sealed Strain Relief Connectors	7.00
SR-502N		Non-Metallic Strain Relief Connector	4.70
SFTS		SFTS Sealant Tape #2228	14.00
#35 blue		Splicing Tape, blue	7.80
#35 red		Splicing Tape, red	7.80
#35 white		Splicing Tape, white	7.80
33+		Splicing Tape, black (low temp for freezer applications)	8.60

Stat-X® is manufactured exclusively by Fireaway in the USA.

Fireaway Inc.

5852 Baker Road, Minnetonka, MN 55345 U.S.A.

Tel: 952-935-9745

Fax: 952-935-9757

Stat-X • Accessories Price List • Effective Date 01-23-2012



ACCESSORIES PRICE LIST

Part Number	Model Number	Description	Distributor Price
PROTECT-O-WIRE GENERAL PURPOSE FASTENERS*			
WAW-N		Clips, Corner, Nylon (white)	\$.30
WAW-P		Clips, Polypropylene (clear)	.30
OHS-1		Clips, Line (use w/type EPR, EPC, EPN & TRI cable)	.40
OHS-SS		Clips, 304 Stainless Steel w/ ¼" hole (use w/all types)	1.55
BC-2		Beam Clamp Assembly (steel)	1.95
BC-3P		Beam Clamp Assembly (w/polypropylene clip)	2.35
BC-3N		Beam Clamp Assembly (w/nylon clip)	2.35
PDR		Drive Rings	.25
RMC-2		L-Bracket (rim type seal)	2.75
RMC-3		L-Bracket, Stainless (rim type seal)	9.40
TR-5G		Insulated Standoff	3.90
EMS-A-CO		Adhesive Cable Mount (requires Sikaflex adhesive)	1.15
PLT1S-CO		Cable Tie (for EMS-A-CO mounts)	.65
SIKAFLEX-291		Industrial Adhesive (for EMS-A-CO mounts)	25.00
PROTECT-O-WIRE CABLE TRAY APPLICATIONS*			
HPC-2		Mounting Clip (ea.)	\$ 1.55
CC-2N		Mounting Clip Assembly	1.55
CC-2W		Mounting Clip Assembly	1.55
CC-10N		Mounting Clip Assembly	1.95
CC-10W		Mounting Clip Assembly	1.95
CC-10N-S		Mounting Clip Assembly w/screw and lock nut	2.35
CC-10W-S		Mounting Clip Assembly w/screw and lock nut	2.35
PROTECT-O-WIRE SPRINKLER PIPE MOUNTING*			
PM-3A		Series Pipe Straps (¾" to 2" pipe)	\$.70
PM-3B		Series pipe Straps (2 ½" to 3 ½" pipe)	.95
PM-3C		Series Pipe Straps (4" to 6" pipe)	4.69
PROTECT-O-WIRE WIRE INSTALLATION*			
SU-15		Wire Dispensing Reel for Coils	\$ 165.00

* Note: Minimum Protectowire order is \$100

All prices are US Dollars and ex-works factory.

Standard Terms and Conditions Apply

Warranty: Eighteen (18) months from date of shipment

Price list was updated 01/30/2013.

Fireaway reserves the right to change pricing at any time without notice. However, we will honor pricing on existing quotations within the stated quotation validity period.

Please send all orders to orders@statx.com or fax to 952-935-9757

Stat-X® is manufactured exclusively by Fireaway in the USA.

Fireaway Inc.

5852 Baker Road, Minnetonka, MN 55345 U.S.A.

Tel: 952-935-9745

Fax: 952-935-9757

Stat-X • Accessories Price List • Effective Date 01-23-2012