

## QUOTE



QUOTE NUMBER: Q-0206-15  
 QUOTE DATE: 2/4/2015

(901) 566-1110  
 www.jacob-tubing.com

SALESPERSON: 0001  
 CUSTOMER NO: 00-OSKAR

QUOTED TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

SHIP TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

CONFIRM TO:  
 Don Justham

RFQ:	F.O.B.	TERMS	QUOTE VALID UNTIL:			
QUENCH	Memphis, TN	Net 30	3/4/2015			
SYSTEM NUMBER	UNIT	ORDERED	BACK ORDER	ITEM PRICE	DISCOUNT PRICE	ITEM TOTAL
SPECIAL ITEM	EACH	8	8	712.75	534.56	4,276.50
Tube, 800mm dia., 5-ft long, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2 ***JACOB-M016A-00*** (Lot# J-)						
SPECIAL ITEM	EACH	7	7	615.23	461.42	3,229.96
Tube, 710mm dia., 5-ft long, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2 ***JACOB-M010A-00*** (Lot# J-)						
SPECIAL ITEM	EACH	6	6	447.68	335.76	2,014.56
Tube, 630mm dia., 5-ft long, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2 ***JACOB-M007A-00*** (Lot# J-)						
SPECIAL ITEM	EACH	29	29	399.90	299.93	8,697.83
Tube, 560mm dia., 5-ft long, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2 ***JACOB-M004A-00*** (Lot# J-)						
SPECIAL ITEM	EACH	2	2	297.80	223.35	446.70
Tube, 500mm dia., 5-ft lg. (nominal), 1mm thk., carbon steel ***JACOB-M001A-00*** (Lot# J-)						
12401010	EACH	14	14	208.13	156.10	2,185.37
Tube, 400mm dia., 2000mm long, 2mm thick, mild steel						
11301010	EACH	8	0	77.75	58.31	466.50
Tube, 300mm dia., 2000mm long, 1mm thick, mild steel						
11251010	EACH	21	1	68.07	51.05	1,072.10
Tube, 250mm dia., 2000mm long, 1mm thick, mild steel						
11201010	EACH	11	7	58.38	43.79	481.64
Tube, 200mm dia., 2000mm long, 1mm thick, mild steel						
11151010	EACH	4	0	45.42	34.07	136.26
Tube, 150mm dia., 2000mm long, 1mm thick, mild steel						
22801020	EACH	3	3	372.41	279.31	837.92
Tube, 800mm dia., 1000mm long, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						

## QUOTE



QUOTE NUMBER: Q-0206-15  
 QUOTE DATE: 2/4/2015

(901) 566-1110  
 www.jacob-tubing.com

SALESPERSON: 0001  
 CUSTOMER NO: 00-OSKAR

QUOTED TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

SHIP TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

CONFIRM TO:  
 Don Justham

RFQ:	F.O.B.	TERMS	QUOTE VALID UNTIL:			
QUENCH	Memphis, TN	Net 30	3/4/2015			
SYSTEM NUMBER	UNIT	ORDERED	BACK ORDER	ITEM PRICE	DISCOUNT PRICE	ITEM TOTAL
22711020	EACH	2	2	322.67	242.00	484.00
Tube, 710mm dia., 1000mm long, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						
22631020	EACH	1	1	266.38	199.79	199.79
Tube, 630mm dia., 1000mm long, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						
22561020	EACH	8	8	238.89	179.17	1,433.34
Tube, 560mm dia., 1000mm long, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						
12501020	EACH	1	0	160.35	120.26	120.26
Tube, 500mm dia., 1000mm long, 2mm thick, mild steel						
12401020	EACH	7	5	106.95	80.21	561.49
Tube, 400mm dia., 1000mm long, 2mm thick, mild steel						
11301020	EACH	6	0	42.28	31.71	190.26
Tube, 300mm dia., 1000mm long, 1mm thick, mild steel						
11251020	EACH	7	0	39.01	29.26	204.80
Tube, 250mm dia., 1000mm long, 1mm thick, mild steel						
11201020	EACH	7	0	35.21	26.41	184.85
Tube, 200mm dia., 1000mm long, 1mm thick, mild steel						
11151020	EACH	2	0	28.93	21.70	43.40
Tube, 150mm dia., 1000mm long, 1mm thick, mild steel						
22631030	EACH	1	1	174.75	131.06	131.06
Tube, 630mm dia., 500mm long, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						
22561030	EACH	3	3	159.04	119.28	357.84
Tube, 560mm dia., 500mm long, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						

## QUOTE



QUOTE NUMBER: Q-0206-15  
 QUOTE DATE: 2/4/2015

(901) 566-1110  
 www.jacob-tubing.com

SALESPERSON: 0001  
 CUSTOMER NO: 00-OSKAR

QUOTED TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

SHIP TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

CONFIRM TO:  
 Don Justham

RFQ:	F.O.B.	TERMS	QUOTE VALID UNTIL:			
QUENCH	Memphis, TN	Net 30	3/4/2015			
SYSTEM NUMBER	UNIT	ORDERED	BACK ORDER	ITEM PRICE	DISCOUNT PRICE	ITEM TOTAL
12501030	EACH	1	0	83.51	62.63	62.63
Tube, 500mm dia., 500mm long, 2mm thick, mild steel						
12401030	EACH	7	5	57.60	43.20	302.40
Tube, 400mm dia., 500mm long, 2mm thick, mild steel						
11301030	EACH	7	0	24.09	18.07	126.47
Tube, 300mm dia., 500mm long, 1mm thick, mild steel						
11251030	EACH	7	0	21.34	16.01	112.04
Tube, 250mm dia., 500mm long, 1mm thick, mild steel						
11201030	EACH	7	7	21.07	15.80	110.62
Tube, 200mm dia., 500mm long, 1mm thick, mild steel						
11151030	EACH	2	0	18.85	14.14	28.28
Tube, 150mm dia., 500mm long, 1mm thick, mild steel						
22801110	EACH	4	4	423.46	317.60	1,270.38
Slip tube, 800mm dia., 1000mm long, 2mm thick, mild steel, with loose flange connection, 8mm flange acc. to DIN 24154, T2						
22711110	EACH	2	2	333.14	249.86	499.71
Slip tube, 710mm dia., 1000mm long, 2mm thick, mild steel, with loose flange connection, 8mm flange acc. to DIN 24154, T2						
22631110	EACH	1	1	300.42	225.31	225.31
Slip tube, 630mm dia., 1000mm long, 2mm thick, mild steel, with loose flange connection, 8mm flange acc. to DIN 24154, T2						
22561110	EACH	9	9	278.82	209.11	1,882.03
Slip tube, 560mm dia., 1000mm long, 2mm thick, mild steel, with loose flange connection, 8mm flange acc. to DIN 24154, T2						
11501110	EACH	1	0	212.65	159.49	159.49
Slip tube, 500mm dia., 1000mm long, 1.5mm thick, carbon steel						

## QUOTE



QUOTE NUMBER: Q-0206-15  
 QUOTE DATE: 2/4/2015

(901) 566-1110  
 www.jacob-tubing.com

SALESPERSON: 0001  
 CUSTOMER NO: 00-OSKAR

QUOTED TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

SHIP TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

CONFIRM TO:  
 Don Justham

RFQ:	F.O.B.	TERMS	QUOTE VALID UNTIL:			
QUENCH	Memphis, TN	Net 30	3/4/2015			
SYSTEM NUMBER	UNIT	ORDERED	BACK ORDER	ITEM PRICE	DISCOUNT PRICE	ITEM TOTAL
11401110	EACH	6	6	129.72	97.29	583.74
Slip tube, 400mm dia., 1000mm long, 1.5mm thick, mild steel						
11301110	EACH	9	3	83.51	62.63	563.69
Slip tube, 300mm dia., 1000mm long, 1.5mm thick, mild steel						
11251110	EACH	6	4	76.18	57.14	342.81
Slip tube, 250mm dia., 1000mm long, 1.5mm thick, mild steel						
11201110	EACH	13	13	61.52	46.14	599.82
Slip tube, 200mm dia., 1000mm long, 1.5mm thick, mild steel						
11151110	EACH	2	0	50.53	37.90	75.80
Slip tube, 150mm dia., 1000mm long, 1.5mm thick, mild steel						
22801349	EACH	4	4	1,201.66	901.25	3,604.98
Elbow 90deg., 800mm dia., R=2D, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						
22711349	EACH	2	2	961.46	721.10	1,442.19
Elbow 90deg., 710mm dia., R=2D, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						
22561349	EACH	2	2	716.02	537.02	1,074.03
Elbow 90deg., 560mm dia., R=2D, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						
12401349	EACH	5	3	369.79	277.34	1,386.71
Elbow 90deg., 400mm dia., R=2D, 2mm thick, mild steel						
11301349	EACH	6	1	259.84	194.88	1,169.28
Elbow 90deg., 300mm dia., R=2D, 1.5mm thick, mild steel						
11251349	EACH	5	0	179.99	134.99	674.96
Elbow 90deg., 250mm dia., R=2D, 1.5mm thick, mild steel						

## QUOTE



(901) 566-1110  
www.jacob-tubing.com

QUOTE NUMBER: Q-0206-15  
QUOTE DATE: 2/4/2015

SALESPERSON: 0001  
CUSTOMER NO: 00-OSKAR

QUOTED TO:  
Avani  
95 Cypress Drive  
Youngsville, NC 27596

SHIP TO:  
Avani  
95 Cypress Drive  
Youngsville, NC 27596

CONFIRM TO:  
Don Justham

RFQ:	F.O.B.	TERMS	QUOTE VALID UNTIL:			
QUENCH	Memphis, TN	Net 30	3/4/2015			
SYSTEM NUMBER	UNIT	ORDERED	BACK ORDER	ITEM PRICE	DISCOUNT PRICE	ITEM TOTAL
11201349	EACH	12	12	89.27	66.95	803.43
Elbow 90deg., 200mm dia., R=2D, 1.5mm thick, mild steel						
11151349	EACH	2	0	73.57	55.18	110.36
Elbow 90deg., 150mm dia., R=2D, 1.5mm thick, mild steel						
22801344	EACH	4	4	625.70	469.28	1,877.10
Elbow 45deg., 800mm dia., R=2D, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						
22711344	EACH	2	2	500.69	375.52	751.04
Elbow 45deg., 710mm dia., R=2D, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						
22561344	EACH	6	6	397.94	298.46	1,790.73
Elbow 45deg., 560mm dia., R=2D, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						
12401344	EACH	5	5	208.13	156.10	780.49
Elbow 45deg., 400mm dia., R=2D, 2mm thick, mild steel						
11301344	EACH	2	1	141.37	106.03	212.06
Elbow 45deg., 300mm dia., R=2D, 1.5mm thick, mild steel						
11251344	EACH	10	3	81.68	61.26	612.60
Elbow 45deg., 250mm dia., R=2D, 1.5mm thick, mild steel						
11201344	EACH	8	0	61.13	45.85	366.78
Elbow 45deg., 200mm dia., R=2D, 1.5mm thick, mild steel						
11151344	EACH	3	0	48.56	36.42	109.26
Elbow 45deg., 150mm dia., R=2D, 1.5mm thick, mild steel						
22801230	EACH	2	2	1,167.63	875.72	1,751.44
Fork 30deg., 800mm dia., 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						

## QUOTE



QUOTE NUMBER: Q-0206-15  
 QUOTE DATE: 2/4/2015

(901) 566-1110  
 www.jacob-tubing.com

SALESPERSON: 0001  
 CUSTOMER NO: 00-OSKAR

QUOTED TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

SHIP TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

CONFIRM TO:  
 Don Justham

RFQ:	F.O.B.	TERMS	QUOTE VALID UNTIL:			
QUENCH	Memphis, TN	Net 30	3/4/2015			
SYSTEM NUMBER	UNIT	ORDERED	BACK ORDER	ITEM PRICE	DISCOUNT PRICE	ITEM TOTAL
11401256	EACH	1	1	317.43	238.07	238.07
Conical fork 30deg., 400/300/250mm dia., 1.5mm thick, mild steel						
22711230	EACH	2	2	918.92	689.19	1,378.38
Fork 30deg., 710mm dia., 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						
11401256	EACH	3	3	317.43	238.07	714.22
Conical fork 30deg., 400/300/250mm dia., 1.5mm thick, mild steel						
11301285	EACH	2	0	229.73	172.30	344.60
Conical fork 30deg., 300/224/224mm dia., 1.5mm thick, mild steel						
22631230	EACH	1	1	687.88	515.91	515.91
Fork 30deg., 630mm dia., 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						
22561255	EACH	1	1	753.98	565.49	565.49
Conical fork 30deg., 560/400/400mm dia., 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						
11401432	EACH	2	2	51.84	38.88	77.76
Connecting flange, 400mm dia., 1.5mm thick, mild steel, with loose flange						
22561230	EACH	3	3	645.34	484.01	1,452.02
Fork 30deg., 560mm dia., 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						
11501256	EACH	1	1	502.00	376.50	376.50
Conical fork 30deg., 500/400/350mm dia., 1.5mm thick, mild steel						
22001500	EACH	2	2	418.88	314.16	628.32
Cone, 710/800mm dia., 2mm thick, mild steel, with loose flange connection, 8mm flange acc. to DIN 24154, T2						
22001499	EACH	5	5	365.21	273.91	1,369.54

## QUOTE



QUOTE NUMBER: Q-0206-15  
 QUOTE DATE: 2/4/2015

(901) 566-1110  
 www.jacob-tubing.com

SALESPERSON: 0001  
 CUSTOMER NO: 00-OSKAR

QUOTED TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

SHIP TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

CONFIRM TO:  
 Don Justham

RFQ:	F.O.B.	TERMS	QUOTE VALID UNTIL:			
QUENCH	Memphis, TN	Net 30	3/4/2015			
SYSTEM NUMBER	UNIT	ORDERED	BACK ORDER	ITEM PRICE	DISCOUNT PRICE	ITEM TOTAL
Cone, 630/710mm dia., 2mm thick, mild steel, with loose flange connection, 8mm flange acc. to DIN 24154, T2						
22001497	EACH	4	4	300.42	225.32	901.26
Cone, 500/630mm dia., 2mm thick, mild steel, with loose flange connection, 8mm flange acc. to DIN 24154, T2						
11401432	EACH	4	4	51.84	38.88	155.52
Connecting flange, 400mm dia., 1.5mm thick, mild steel, with loose flange						
11001486	EACH	4	4	93.59	70.19	280.77
Cone, 400/500mm dia., 1.5mm thick, mild steel						
22001498	EACH	2	2	312.85	234.64	469.28
Cone, 560/630mm dia., 2mm thick, mild steel, with loose flange connection, 8mm flange acc. to DIN 24154, T2						
12001496	EACH	2	0	116.63	87.48	174.95
Cone, 500/560mm dia., 2mm thick, mild steel						
12561432	EACH	2	2	105.77	79.33	158.66
Connecting flange, 560mm dia., 2mm thick, mild steel, with loose flange						
12001495	EACH	3	3	110.35	82.76	248.29
Cone, 450/560mm dia., 2mm thick, mild steel						
11001483	EACH	3	0	82.99	62.24	186.73
Cone, 350/450mm dia., 1.5mm thick, mild steel						
11001480	EACH	1	1	63.62	47.72	47.72
Cone, 300/350mm dia., 1.5mm thick, mild steel						
11001481	EACH	2	0	71.60	53.70	107.40
Cone, 300/400mm dia., 1.5mm thick, mild steel						
11001484	EACH	3	0	57.47	43.10	129.31
Cone, 250/350mm dia., 1.5mm thick, mild steel						

## QUOTE



QUOTE NUMBER: Q-0206-15  
 QUOTE DATE: 2/4/2015

(901) 566-1110  
 www.jacob-tubing.com

SALESPERSON: 0001  
 CUSTOMER NO: 00-OSKAR

QUOTED TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

SHIP TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

CONFIRM TO:  
 Don Justham

RFQ:	F.O.B.	TERMS	QUOTE VALID UNTIL:			
QUENCH	Memphis, TN	Net 30	3/4/2015			
SYSTEM NUMBER	UNIT	ORDERED	BACK ORDER	ITEM PRICE	DISCOUNT PRICE	ITEM TOTAL
11001475	EACH	2	0	37.83	28.38	56.75
Cone, 250/300mm dia., 1.5mm thick, mild steel						
11001474	EACH	2	0	35.34	26.51	53.01
Cone, 200/224mm dia., 1.5mm thick, mild steel						
11001470	EACH	2	0	29.19	21.89	43.78
Cone, 200/250mm dia., 1.5mm thick, mild steel						
11001462	EACH	1	0	30.11	22.58	22.58
Cone, 150/250mm dia., 1.5mm thick, mild steel						
11401432	EACH	1	1	51.84	38.88	38.88
Connecting flange, 400mm dia., 1.5mm thick, mild steel, with loose flange						
11301432	EACH	3	0	35.87	26.90	80.71
Connecting flange, 300mm dia., 1.5mm thick, mild steel, with loose flange						
11251432	EACH	6	6	31.29	23.47	140.81
Connecting flange, 250mm dia., 1.5mm thick, mild steel, with loose flange						
11201432	EACH	6	5	27.23	20.42	122.54
Connecting flange, 200mm dia., 1.5mm thick, mild steel, with loose flange						
11151432	EACH	1	1	24.61	18.46	18.46
Connecting flange, 150mm dia., 1.5mm thick, mild steel, with loose flange						
12502383	EACH	12	0	39.36	29.52	354.24
Pull ring for U-shaped gasket, 500mm dia., for 1mm & 2mm tubing, galvanized						
12452383	EACH	6	0	33.26	24.95	149.67
Pull ring for U-shaped gasket, 450mm dia., for 1mm & 2mm tubing, galvanized						
12402903	EACH	64	0	40.84	30.63	1,960.32
Quick connect pull ring, 400mm dia., for 1mm-2mm tubing, galvanized						
12352903	EACH	8	0	32.46	24.35	194.76



## QUOTE



QUOTE NUMBER: Q-0206-15  
 QUOTE DATE: 2/4/2015

(901) 566-1110  
 www.jacob-tubing.com

SALESPERSON: 0001  
 CUSTOMER NO: 00-OSKAR

QUOTED TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

SHIP TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

CONFIRM TO:  
 Don Justham

RFQ:	F.O.B.	TERMS	QUOTE VALID UNTIL:			
QUENCH	Memphis, TN	Net 30	3/4/2015			
SYSTEM NUMBER	UNIT	ORDERED	BACK ORDER	ITEM PRICE	DISCOUNT PRICE	ITEM TOTAL
Quick connect pull ring, 350mm dia., for 1mm-2mm tubing, galvanized						
12302903	EACH	52	0	21.86	16.40	852.54
Quick connect pull ring, 300mm dia., for 1mm-2mm tubing, galvanized						
12252903	EACH	74	0	20.16	15.12	1,118.88
Quick connect pull ring, 250mm dia., for 1mm-2mm tubing, galvanized						
12222903	EACH	6	0	20.16	15.12	90.72
Quick connect pull ring, 224mm dia., for 1mm-2mm tubing, galvanized						
12202903	EACH	68	0	16.10	12.08	821.10
Quick connect pull ring, 200mm dia., for 1mm-2mm tubing, galvanized						
12152903	EACH	17	0	14.27	10.70	181.94
Quick connect pull ring, 150mm dia., for 1mm-2mm tubing, galvanized						
10806717	EACH	31	31	28.27	21.20	657.28
U-shaped gasket, 800mm dia., for 10mm loose flange tubing, Perbunan (NBR)						
10716717	EACH	28	28	18.06	13.55	379.26
U-shaped gasket, 710mm dia., for 10mm loose flange tubing, Perbunan (NBR)						
10636717	EACH	23	3	15.71	11.78	271.00
U-shaped gasket, 630mm dia., for 10mm loose flange tubing, Perbunan (NBR)						
10566717	EACH	76	64	14.14	10.61	805.98
U-shaped gasket, 560mm dia., for 10mm loose flange tubing, Perbunan (NBR)						
10506952	EACH	9	0	8.00	6.00	54.00
U-shaped gasket, 500mm dia., for 2mm tubing, Perbunan (NBR)						
10456952	EACH	6	0	6.68	5.01	30.06
U-shaped gasket, 450mm dia., for 2mm tubing, Perbunan (NBR)						

## QUOTE



QUOTE NUMBER: Q-0206-15  
 QUOTE DATE: 2/4/2015

(901) 566-1110  
 www.jacob-tubing.com

SALESPERSON: 0001  
 CUSTOMER NO: 00-OSKAR

QUOTED TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

SHIP TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

CONFIRM TO:  
 Don Justham

RFQ:	F.O.B.	TERMS	QUOTE VALID UNTIL:			
QUENCH	Memphis, TN	Net 30	3/4/2015			
SYSTEM NUMBER	UNIT	ORDERED	BACK ORDER	ITEM PRICE	DISCOUNT PRICE	ITEM TOTAL
104069527	EACH	57	0	5.50	4.13	235.13
U-shaped gasket, 400mm dia., for 2mm tubing, Perbunan (NBR)						
103569517	EACH	8	0	4.97	3.73	29.82
U-shaped gasket, 350mm dia., for 1mm tubing, Perbunan (NBR)						
103069517	EACH	42	0	4.45	3.34	140.18
U-shaped gasket, 300mm dia., for 1mm tubing, Perbunan (NBR)						
102569517	EACH	67	0	4.06	3.05	204.02
U-shaped gasket, 250mm dia., for 1mm tubing, Perbunan (NBR)						
102269517	EACH	6	0	4.06	3.05	18.27
U-shaped gasket, 224mm dia., for 1 mm tubing, Perbunan (NBR), new design						
102069517	EACH	53	0	3.67	2.75	145.88
U-shaped gasket, 200mm dia., for 1mm tubing, Perbunan (NBR)						
101569517	EACH	13	0	3.01	2.26	29.35
U-shaped gasket, 150mm dia., for 1mm tubing, Perbunan (NBR)						
20801715	EACH	4	4	198.31	148.73	594.93
Loose flange for slip tubes to set ring seal with loose flange connection, 800mm dia., mild steel, 8mm thick						
20711715	EACH	3	3	163.63	122.72	368.17
Loose flange for slip tubes to set ring seal with loose flange connection, 710mm dia., mild steel, 8mm thick						
20631715	EACH	2	2	122.52	91.89	183.78
Loose flange for slip tubes to set ring seal with loose flange connection, 630mm dia., mild steel, 8mm thick						
20561715	EACH	10	10	109.83	82.37	823.73
Loose flange for slip tubes to set ring seal with loose flange connection, 560mm dia., mild steel, 8mm thick						
20806117	EACH	4	4	60.48	45.36	181.44
Ring seal for slip tubes with loose flange connection, 800mm dia., Perbunan (NBR)						

## QUOTE



QUOTE NUMBER: Q-0206-15  
 QUOTE DATE: 2/4/2015

(901) 566-1110  
 www.jacob-tubing.com

SALESPERSON: 0001  
 CUSTOMER NO: 00-OSKAR

QUOTED TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

SHIP TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

CONFIRM TO:  
 Don Justham

RFQ:	F.O.B.	TERMS			QUOTE VALID UNTIL:		
QUENCH	Memphis, TN	Net 30			3/4/2015		
SYSTEM NUMBER	UNIT	ORDERED	BACK ORDER	ITEM PRICE	DISCOUNT PRICE	ITEM TOTAL	
20716117	EACH	3	3	49.09	36.82	110.45	
Ring seal for slip tubes with loose flange connection, 710mm dia., Perbunan (NBR)							
20636117	EACH	2	2	45.55	34.17	68.33	
Ring seal for slip tubes with loose flange connection, 630mm dia., Perbunan (NBR)							
20566117	EACH	10	10	41.23	30.92	309.23	
Ring seal for slip tubes with loose flange connection, 560mm dia., Perbunan (NBR)							
10506155	EACH	3	0	7.51	5.63	16.90	
Ring seal for slip tubes 1.5mm thick, 500mm dia., Perbunan (NBR)							
104061557	EACH	7	0	6.02	4.52	31.61	
Ring seal for slip tubes 1.5mm thick, 400mm dia., Perbunan (NBR)							
103061557	EACH	10	8	5.11	3.83	38.33	
Ring seal for slip tubes 1.5mm thick, 300mm dia., Perbunan (NBR)							
102561557	EACH	7	0	4.45	3.34	23.36	
Ring seal for slip tubes 1.5mm thick, 250mm dia., Perbunan (NBR)							
102061557	EACH	15	0	3.93	2.95	44.21	
Ring seal for slip tubes 1.5mm thick, 200mm dia., Perbunan (NBR)							
101561557	EACH	4	0	3.01	2.26	9.03	
Ring seal for slip tubes 1.5mm thick, 150mm dia., Perbunan (NBR)							
SPECIAL ITEM	EACH	10	10	712.75	534.56	5,345.63	
Tube, 800mm dia., 5-ft long, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2 ***JACOB-M016A-00*** (Lot# J-)							
SPECIAL ITEM	EACH	16	16	297.80	223.35	3,573.60	
Tube, 500mm dia., 5-ft lg. (nominal), 1mm thk., carbon steel ***JACOB-M001A-00*** (Lot# J-)							
12401010	EACH	4	4	208.13	156.10	624.39	
Tube, 400mm dia., 2000mm long, 2mm thick, mild steel							

## QUOTE



QUOTE NUMBER: Q-0206-15  
 QUOTE DATE: 2/4/2015

(901) 566-1110  
 www.jacob-tubing.com

SALESPERSON: 0001  
 CUSTOMER NO: 00-OSKAR

QUOTED TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

SHIP TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

CONFIRM TO:  
 Don Justham

RFQ:	F.O.B.	TERMS	QUOTE VALID UNTIL:			
QUENCH	Memphis, TN	Net 30	3/4/2015			
SYSTEM NUMBER	UNIT	ORDERED	BACK ORDER	ITEM PRICE	DISCOUNT PRICE	ITEM TOTAL
22801110	EACH	4	4	423.46	317.60	1,270.38
Slip tube, 800mm dia., 1000mm long, 2mm thick, mild steel, with loose flange connection, 8mm flange acc. to DIN 24154, T2						
11501110	EACH	5	2	212.65	159.49	797.44
Slip tube, 500mm dia., 1000mm long, 1.5mm thick, carbon steel						
11401110	EACH	1	1	129.72	97.29	97.29
Slip tube, 400mm dia., 1000mm long, 1.5mm thick, mild steel						
22801349	EACH	4	4	1,201.66	901.25	3,604.98
Elbow 90deg., 800mm dia., R=2D, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						
12501349	EACH	4	3	562.87	422.15	1,688.61
Elbow 90deg., 500mm dia., R=2D, 2mm thick, mild steel						
12401349	EACH	1	0	369.79	277.34	277.34
Elbow 90deg., 400mm dia., R=2D, 2mm thick, mild steel						
22801344	EACH	2	2	625.70	469.28	938.55
Elbow 45deg., 800mm dia., R=2D, 2mm thick, mild steel, with loose flange connections, 8mm flange acc. to DIN 24154, T2						
12501344	EACH	3	3	280.13	210.10	630.29
Elbow 45deg., 500mm dia., R=2D, 2mm thick, mild steel						
12401344	EACH	1	1	208.13	156.10	156.10
Elbow 45deg., 400mm dia., R=2D, 2mm thick, mild steel						
22001500	EACH	3	3	418.88	314.16	942.48
Cone, 710/800mm dia., 2mm thick, mild steel, with loose flange connection, 8mm flange acc. to DIN 24154, T2						
22001499	EACH	3	3	365.21	273.91	821.72
Cone, 630/710mm dia., 2mm thick, mild steel, with loose flange connection, 8mm flange acc. to DIN 24154, T2						

## QUOTE



QUOTE NUMBER: Q-0206-15  
 QUOTE DATE: 2/4/2015

(901) 566-1110  
 www.jacob-tubing.com

SALESPERSON: 0001  
 CUSTOMER NO: 00-OSKAR

QUOTED TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

SHIP TO:  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

CONFIRM TO:  
 Don Justham

RFQ:	F.O.B.	TERMS			QUOTE VALID UNTIL:		
<b>QUENCH</b>	<b>Memphis, TN</b>	<b>Net 30</b>			<b>3/4/2015</b>		
SYSTEM NUMBER	UNIT	ORDERED	BACK ORDER	ITEM PRICE	DISCOUNT PRICE	ITEM TOTAL	
22001497	EACH	3	3	300.42	225.32	675.95	
Cone, 500/630mm dia., 2mm thick, mild steel, with loose flange connection, 8mm flange acc. to DIN 24154, T2							
11001486	EACH	1	1	93.59	70.19	70.19	
Cone, 400/500mm dia., 1.5mm thick, mild steel							
12502383	EACH	32	0	39.36	29.52	944.64	
Pull ring for U-shaped gasket, 500mm dia., for 1mm & 2mm tubing, galvanized							
12402903	EACH	8	0	40.84	30.63	245.04	
Quick connect pull ring, 400mm dia., for 1mm-2mm tubing, galvanized							
10809717	EACH	23	23	149.23	111.92	2,574.22	
U-shaped gasket, 800mm dia., for 10mm loose flange tubing, Viton (FKM)							
10716717	EACH	6	6	18.06	13.55	81.27	
U-shaped gasket, 710mm dia., for 10mm loose flange tubing, Perbunan (NBR)							
10636717	EACH	6	0	15.71	11.78	70.70	
U-shaped gasket, 630mm dia., for 10mm loose flange tubing, Perbunan (NBR)							
10506952	EACH	27	0	8.00	6.00	162.00	
U-shaped gasket, 500mm dia., for 2mm tubing, Perbunan (NBR)							
104069527	EACH	7	0	5.50	4.13	28.88	
U-shaped gasket, 400mm dia., for 2mm tubing, Perbunan (NBR)							
20801715	EACH	4	4	198.31	148.73	594.93	
Loose flange for slip tubes to set ring seal with loose flange connection, 800mm dia., mild steel, 8mm thick							
20806117	EACH	4	4	60.48	45.36	181.44	
Ring seal for slip tubes with loose flange connection, 800mm dia., Perbunan (NBR)							
10506155	EACH	5	0	7.51	5.63	28.16	
Ring seal for slip tubes 1.5mm thick, 500mm dia., Perbunan (NBR)							

# QUOTE



**(901) 566-1110**  
**www.jacob-tubing.com**

QUOTE NUMBER: Q-0206-15  
 QUOTE DATE: 2/4/2015

SALESPERSON: 0001  
 CUSTOMER NO: 00-OSKAR

**QUOTED TO:**  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

**SHIP TO:**  
 Avani  
 95 Cypress Drive  
 Youngsville, NC 27596

**CONFIRM TO:**  
 Don Justham

RFQ:	F.O.B.	TERMS		QUOTE VALID UNTIL:		
<b>QUENCH</b>	<b>Memphis, TN</b>	<b>Net 30</b>		<b>3/4/2015</b>		
<del>SYSTEM</del> NUMBER	UNIT	ORDERED	BACK ORDER	ITEM PRICE	DISCOUNT PRICE	ITEM TOTAL
104061557	EACH	1	0	6.02	4.52	4.52
Ring seal for slip tubes 1.5mm thick, 400mm dia., Perbunan (NBR)						

Net Order: 102,275.95  
 Freight: 0.00  
 Sales Tax: 0.00  


---

 Quote Total (USD): 102,275.95

# Standard terms and conditions of sale and payment

All goods and services furnished by Jacob Tubing L.P. ("Supplier") are governed by these standard terms and conditions, and every agreement or other undertaking by Supplier is expressly conditioned on assent hereto by the buyer, and any end-user with whom Supplier undertakes to deal, of Supplier's goods and services („Customer"). These standard terms and conditions may be varied only by a typed or legibly handwritten notation on the face of Supplier's quotation or order acceptance or by a separate, signed distributorship agreement, service agreement, or other individually negotiated agreement in writing expressly varying one or more of these standard terms and conditions. Product and sales policy sheets and the like published from time to time by Supplier shall supplement but not supercede these standard terms and conditions.

## 1. Price / Delivery Terms / Risk of Loss.

Unless otherwise specified on Supplier's order acceptance, price and delivery terms for sales within fob the USA are Supplier's plant or warehouse as selected by Supplier in its reasonable discretion, as such fob term is defined by INCOTERMS 1990; provided, however, that such prices do not include sales, use or other taxes. Supplier may, at its option, make partial shipment, and where reasonable or customary, ship overages and underages of weight, length, size and/or quantity and may invoice for same. Unless specified on Suppliers' order acknowledgement as „firm", deliver dates are estimates only. All risk or loss shall pass from Supplier to Customer upon delivery of the ordered goods to the carrier fob Memphis, Tennessee or such other point of shipment as is expressly written in the purchase order and acknowledged by supplier. Customer shall insure the goods upon delivery for an amount sufficient to cover any balance owed to Supplier and Customer hereby grants to Supplier an assignment of insurance benefits payable in the event of loss of the goods after delivery.

## 2. Payment / Security.

All payments shall be made in U.S. dollars in cash, without any deductions. All payments shall be due within ten (10) days following from the date of invoice. For any post-due balances a service charge of 1.5% per month will be charged until final payment is received. Whenever Supplier in good faith deems itself insecure, Supplier may cancel any outstanding contract with Customer; revoke any extension of credit to customer; reduce any unpaid debt by enforcing its security interest, created hereby, in all goods (and proceeds there from) furnished by supplier to Customer; and take any other steps necessary or desirable to secure Supplier fully with respect to Customer's payment. For goods and services furnished or to be furnished by Supplier. Customer shall have no right to off-set any amounts owing to customer by Supplier against any amount owed by Customer to Supplier. In the event payment is not made pursuant to the terms of sales, Supplier shall be entitled to recover and Customer shall pay all costs of collection, including reasonable attorney fees, court costs, and any incidental costs associated with collection, plus prejudgment and post judgment interest.

## 3. Inspection / Acceptance / Return.

In the absence of appropriate written notice sent to Supplier after Customer's inspection of the goods, Customer shall be conclusively deemed to have inspected and accepted the goods within thirty (30) days after receipt. Any deficiency in the quality or quantity of such goods must be reported within five (5) days after such deficiency is or should have been discovered during the inspection-period. Where the parties agree to inspection by Customer at Supplier's plant, such inspection, acceptance and deficiency report must be made prior to delivery. Customer's claims regarding any such deficiency not discovered or discoverable during the inspection period shall be barred if not reported within the reporting period, except and to the extent that such claims are valid under Supplier's warranty. Customer may not return any goods, under warranty claim or otherwise, without first reporting to Supplier the reasons for such return and first obtaining and then observing such reasonable instructions as Supplier may give in authorizing any return.

## 4. Warranty.

Supplier warrants that all new and unused goods furnished by supplier are lien free and non-infringing (with respect to United States patents and foreign patents corresponding thereto) and are free from defect in workmanship and material as of the time and place of delivery by Supplier and that all services furnished by Supplier are performed properly under applicable industry standards as of the time and place of performance. As a matter of general warranty policy, supplier honors an original purchaser's warranty claims in the event of failure, within six (6) months from the date of shipment by Supplier, of warranted goods which have been used under normal conditions and in accordance with generally accepted industry practices. The foregoing are general policies only and may be expanded or limited for particular categories of products or customers by written agreement signed, or warranty policy announcement published, by Supplier from time to time. The express warranties provided above are in lieu of all other warranties, express or implied.

## **IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSES ARE EXCLUDED WITH RESPECT TO ANY AND ALL GOODS AND SERVICES FURNISHED BY SUPPLIER.**

In the case of Supplier's breach of warranty or any other duty with respect to the quality of any goods, the exclusive remedies therefore shall be: (1) repair, (2) replacement, or (3) payment of or credit for the purchase price (less reasonable depreciation based upon actual use) upon return of the goods. In the case of Supplier's breach of warranty of any other duty with respect to the quality of any services (including repair under warranty), the exclusive remedies therefore shall be payment or credit for Supplier's actual charge therefore or, in the absence of an actual charge, the customary or reasonable charge for such services, and, if such breach also involves impairment of Supplier's goods, the remedies available for breach of warranty with respect to the goods. Selection among the exclusive remedies described above shall in each case be at Supplier's reasonable discretion and subject to Supplier's reasonable return procedures.

## 5. Force Majeure.

Supplier and Customer assume the non-occurrence of the following contingencies which, without limitation, might render performance by Supplier impractical: strikes, riots, fires, war assertions by third parties of infringement claims, late or non-delivery by suppliers to Supplier, and all other contingencies beyond the reasonable control of Supplier.

## 6. NO CONSEQUENTIAL DAMAGES.

**UNDER NO CIRCUMSTANCES WHATSOEVER SHALL SUPPLIER AND CUSTOMER BE LIABLE TO EACH OTHER FOR ANY INDIRECT, SPECIAL, OR CONSEQUENTIAL DAMAGES; WHETHER FORESEEABLE OR UNFORSEEABLE AND WHETHER BASED UPON LOST GOODWILL, LOST RESALE PROFITS, LOSS OF USE OF MONEY, WORK STOPPAGE, IMPAIRMENT OF OTHER ASSETS, OR OTHERWISE AND WHETHER ARISING OUT OF BREACH OF WARRANTY, BREACH OF CONTRACT, STRICT LIABILITY IN TORT, NEGLIGENCE, MISREPRESENTATION, OR OTHERWISE, EXCEPT ONLY IN THE CASE OF PERSONAL INJURY WHERE APPLICABLE LAW REQUIRES SUCH LIABILITY.**

## 7. Governing Law / Limitations.

The laws of the State of Tennessee (excluding the Convention on contracts for the International Sale of Goods) shall govern all transactions to which these standard terms and conditions apply. Any legal action with respect to any such transaction must be commenced within one year and one day after the cause of action has accrued. All limitations herein on Supplier's liability and remedies for breach of any duty of Supplier to any buyer or user of Supplier's goods or services are extended to Supplier's affiliates, suppliers, distributors, and service providers, insofar as they may have any duties to any buyer or user of Supplier's goods or services, except only in the event and to the extent they may expressly and in writing waive the benefits of this provision.



Modular Tubing Systems

Jacob Tubing, L.P.  
3948 Willow Lake Blvd.  
Memphis, TN 38118

Mailing Address:  
P.O. Box 754000  
Memphis, TN 38175

Phone: 901-566-1110  
Fax: 901-566-1910

### Return Policy

All returns must have a return authorization number issued by Jacob Tubing L.P. prior to return. This number must be clearly marked on all packages and paperwork. A list of items to be returned must be submitted prior to receiving authorization. Any items not on this list will not be subject to credit.

All items have to be **unused, clean and free of any defects.**

Only Jacob standard stock items up to and including 300mm dia. are subject to return. Special items and buyout items such as drives cannot be returned.

Maximum allowable return per order is as follows:

\$1 - \$5000 order	15% of the invoiced gross price
\$5001 - \$15,000 order	10% of the invoiced gross price, or \$750 (Whichever is greater)
Orders larger than \$15,000	7.5% of the invoiced gross price, or \$1500 (Whichever is greater) not to exceed \$5000.

Items must be returned within 90 days from the original date of invoice.

All return items are subject to a 30% restocking fee.

All credit is subject to final inspection upon arrival in Memphis. Any rework charges will be deducted from the amount to be credited. Although we accept 1mm tubing returns, it has been our experience that 1mm tubes are more likely to be damaged with additional handling.

Shipping charges are the customer's responsibility and must be prepaid. Collect shipments will NOT be accepted.

Customer's account must be in good standing at time of credit.

Exceptions to the above terms must be stated in writing prior to issuing the RA# and signed by an authorized agent of Jacob Tubing L.P.

### Surplus Policy

To allow for flexibility in projects, we offer a surplus policy.

If material is identified as "perhaps needed" prior to placing a purchase order, Jacob Tubing L.P. will quote this material as surplus.

Surplus material must be issued a separate P.O. by the customer. Surplus material will be shipped separately and the boxes will be clearly marked as surplus.

Surplus orders will be invoiced at time of shipment, but any item on a surplus order will not be subject to a restocking fee upon return. Any surplus material returned for credit must be **unused, clean and free of any defect.**

Return shipment to be paid by customer.

### Cancellation Policy

Cancellation of orders must be done in writing, by fax, **no later than 24 hours after receipt of order confirmation.**

Any cancellations after such time can be subject to the following charges:

Standard stock items:	30% of list price
Special items:	100% of list price or actual charges incurred (whichever is less)

For time sensitive orders, we will accept authorized buyer's initials on order confirmation via return fax. This will be considered as binding and any cancellation after receipt of such will be subject to a