




DO NOT SCALE

IF IN DOUBT ASK



Revisions

Rev	Description	Date	Approved
-----	-------------	------	----------



WB-4000 SPECIFICATIONS

Motor:	5 HP NEMA
Airflow:	2340 ft ³ /min 3973.32 m ³ /hr
Filtration Stages:	1st - aluminum mesh x (2) pcs per dust collector 2nd - cartridge filter x (4) pcs Spec: Dia. 380 x 660mmL (15" x 26") Filtering area: 15M2 x 4 = 60M2 (645.6 FT2)
Polyester Spun bond:	Polyester with TEFLON treatment & coating
No. of Valves:	2
Compressed Air Requirement:	90 PSI
Compressed Air Reservoir:	2.63 gallon
Dimension:	323 x 162.41 x 337.82 cm (127.3 x 64 x 133.1 inch)
Construction:	top mount dust collector: - 8 gauge steel to 14 gauge steel side panel: - 6 gauge steel to 14 gauge steel back panel: - 11 gauge steel to 14 gauge steel
Max. Operating Temp.:	120°C
Paint Color:	Blue & White
Control Box:	- UL Control Panel
Booth Apparatus	- Back Draft Adjustable Inlet Slots: (3) per station - Hood Adjustable Inlet Slots: (1) per station - Clean out drawer: (1) per station *** Non-Recessed Lights: (1) Explosion Proof Lights (110V, Single Phase, 60 Hz) per station - Light Switch: For overhead lights (1) per station - Curtain Rod: (1) per station - Compressed Air Connection (1) per station - CO2 or Gas Connection: (1) per station - Double Wall Construction (welded) *** Adjustable Rear Shelf: (1) per station OPTIONS *** CO2 bracket: (1) per station

AVANI ENVIRONMENTAL INTL. INC. Sales Department
95 Cypress Drive
Youngsville, NC 27596
info@avanienvironmental.com

Date	Name
2011-08-11	***
Drawn by:	Checked by:

Part Number:
ø380 x 660mmL
ø15" x 26"L

Title:
WB-4000

The drawings, AutoCAD, 3-D Models, and specifications are the property of Avani Environmental Intl. Inc. (AE) and may not be reproduced, distributed, modified, or otherwise used, except provided herein, without the express written permission of AE.

Size **B**
Scale
1 = 35

Drawing Number:
collector centered
Booth H: 7'