



FREIGHT CHARGES ARE PREPAID ON THIS BILL OF LADING UNLESS MARKED COLLECT

OLD DOMINION FREIGHT LINE, INC
 PHONE: 800-432-6335 WEB: www.odfl.com
INTERNET STRAIGHT BILL OF LADING
 ORIGINAL - NOT NEGOTIABLE



06215973402

MFS

3
E

FREIGHT CHARGES: Collect
 DATE: 8-30-11

DEST	SHIP #	CUBE %
DATE	PCS	OKR#
	BAY/UNIT	OSD PCS

B/L# -
 PO#:

SHIPPER (FROM):
 Jacob Tubing
 3948 Willow Lakes
 Memphis, TN 38118

CONSIGNEE (TO):
 Centuron Tools, LLC
 637 Industrial Dr.
 Louisa, VA 23093

COD Amount:
 COD Fee:
 Subject to section 7 of the conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement: The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

(Signature of Consignor)

BILL THIRD PARTY FREIGHT CHARGES TO:
 REMIT TO (COD):

Pieces	HM	Description	Type	NMFC No.	Class	Weight (lbs)
1	<input type="checkbox"/>	Steel Tubing			85	326
1	<input type="checkbox"/>	Steel Tubing			85	342
	<input type="checkbox"/>					
	<input type="checkbox"/>					
	<input type="checkbox"/>					
	<input type="checkbox"/>					
	<input type="checkbox"/>					
	<input type="checkbox"/>					
	<input type="checkbox"/>					
	<input type="checkbox"/>					

SPECIAL INSTRUCTIONS

RATE REFERENCE#

HAZARDOUS MATERIALS EMERGENCY CONTACT:

FREEZABLE - NO

Total Weight: 666.8

Total Shipping Units: 2

Received and mutually agreed by the shipper and his assigns, any additional party with an interest to any of said property hereto and each carrier of all or any of said property over all or any portion of said route to destination, that every service to be performed hereunder shall be subject to the National Motor Freight classifications (NMFC 100 Series) including the Rules, packaging and the Uniform Bill of Lading Terms and Conditions, the applicable regulations of the US Department of Transportation (DOT), the ATA Hazardous Materials Rules Guide Book, the Household Goods Mileage Guides, the Carrier's tariffs, the Carrier's pricing schedules, terms, conditions and rules maintained at Carrier's general offices all of which are in effect as of the date of issue of the Bill of Lading. Shipper certifies that the consigned merchandise is properly weighed, classified, described, packaged, marked, labeled, (declared as indicated), in apparent good order except as noted (contents and conditions of contents of packages unknown), and in proper condition for transportation according to the DOT and the NMFC 100 Series. Carrier (Carrier being understood throughout this contract as meaning any person or corporation in possession of the property under this contract) agrees to carry to said destination if on its route, otherwise to deliver to another carrier on the route to said destination. Carrier shall in no event be liable for loss of profit, income, interest, attorney fees, or any special, incidental or consequential damages.

Carrier liability in the 48 contiguous states only: Shipments valued at more than \$20.00 per pound are of extraordinary value. Carrier's maximum liability is \$20.00 per pound per package subject to \$50,000.00 maximum total liability per occurrence. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.

ACCESSORIAL SERVICES REQUESTED Ins. Amount

ARN CA HYD IDC RDC IND OVL OV2 EXP

Note: Items excluded from coverage include used articles, household goods, personal effects, and other prohibited commodities shown in OD Rules 100, Item 780. Maximum liability shall not exceed \$250,000.00 and shipments must be prepaid. See OD Rules 100, Item 574 for complete rules on Insurance - truck conveyed freight.

NOTE - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.
 The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding \$ _____ per _____

DATE: 8-30-11 H/U RECEIVED: 2 PLT TRAILER NO: 405120
 CARRIER: OLD DOMINION FREIGHT LINE, INC.
 AUTHORIZED SIGNATURE (Driver): *[Signature]*

AUTHORIZED SIGNATURE (Shipper): *[Signature]*

PACKING SLIP



(901) 566-1110
www.jacob-tubing.com

ORDER NUMBER: 1697-11
ORDER DATE: 8/3/2011

SALESPERSON: 0001
CUSTOMER NO: 00-OSKAR

SOLD TO:
Avani
95 Cypress Drive
Youngsville, NC 27596

SHIP TO:
Centurion Tools, LLC
Fred Fitzsimmons PO #QB6243
637 Industrial Dr.
Louisa, VA 23093

CONFIRM TO:
Bob Venezia

CUSTOMER P.O.	SHIP VIA	FOB	TERMS	SHIP DATE:		
3443	SEE NOTES	Memphis TN	Net 30	8/25/2011		
ITEM NUMBER	UNIT	ORDERED	PRIOR SHIPMENT	BACK ORDER	QTY SHIPPED TODAY	BOX
11151010	EACH	2	0	0	2	1
Tube, 150mm dia., 2000mm long, 1mm thick, mild steel						
11151020	EACH	-	0	0	2	1
Tube, 150mm dia., 1000mm long, 1mm thick, mild steel						
11201010	EACH	1	0	0	1	1
Tube, 200mm dia., 2000mm long, 1mm thick, mild steel						
11201020	EACH	1	0	0	1	1
Tube, 200mm dia., 1000mm long, 1mm thick, mild steel						
11251020	EACH	2	0	0	2	1
Tube, 250mm dia., 1000mm long, 1mm thick, mild steel						
11251030	EACH	1	0	0	1	2
Tube, 250mm dia., 500mm long, 1mm thick, mild steel						
11301010	EACH	1	0	1	-	-
Tube, 300mm dia., 2000mm long, 1mm thick, mild steel						
11301020	EACH	2	0	2	-	-
Tube, 300mm dia., 1000mm long, 1mm thick, mild steel						
11301030	EACH	2	0	0	2	2
Tube, 300mm dia., 500mm long, 1mm thick, mild steel						
11151110	EACH	10	0	0	10	2
Slip tube, 150mm dia., 1000mm long, 1.5mm thick, mild steel						
11201110	EACH	1	0	0	1	2
Slip tube, 200mm dia., 1000mm long, 1.5mm thick, mild steel						

PACKING SLIP



(901) 566-1110
www.jacob-tubing.com

ORDER NUMBER: 1697-11
ORDER DATE: 8/3/2011

SALESPERSON: 0001
CUSTOMER NO: 00-OSKAR

SOLD TO:
Avani
95 Cypress Drive
Youngsville, NC 27596

SHIP TO:
Centurion Tools, LLC
Fred Fitzsimmons PO #QB6243
637 Industrial Dr.
Louisa, VA 23093

CONFIRM TO:
Bob Veneiza

CUSTOMER P.O.	SHIP VIA	FOB	TERMS	SHIP DATE:		
3443	SEE NOTES	Memphis TN	Net 30	8/25/2011		
ITEM NUMBER	UNIT	ORDERED	PRIOR SHIPMENT	BACK ORDER	QTY SHIPPED TODAY	BOX
11251110	EACH	2	0	0	<u>2</u>	<u>2</u>
Slip tube, 250mm dia., 1000mm long, 1.5mm thick, mild steel						
11301110	EACH	2	0	0	<u>2</u>	<u>2</u>
Slip tube, 300mm dia., 1000mm long, 1.5mm thick, mild steel						
11151349	EACH	5	0	0	<u>5</u>	<u>1</u>
Elbow 90deg., 150mm dia., R=2D, 1.5mm thick, mild steel						
11151346	EACH	3	0	0	<u>3</u>	<u>1</u>
Elbow 60deg., 150mm dia., R=2D, 1.5mm thick, mild steel						
11251339	EACH	1	0	0	<u>1</u>	<u>2</u>
Elbow 90deg., 250mm dia., R=1D, 1.5mm thick, mild steel						
11301339	EACH	1	0	1	<u>-</u>	<u>-</u>
Elbow 90deg., 300mm dia., R=1D, 1.5mm thick, mild steel						
11301330	EACH	1	0	1	<u>-</u>	<u>-</u>
Segment 45deg., 300mm dia., 1.5mm thick, mild steel						
11301258	EACH	1	0	1	<u>-</u>	<u>-</u>
Conical lateral 30 deg., 300/250/150mm dia., 1.5mm thick, mild steel						
11251286	EACH	1	0	1	<u>-</u>	<u>-</u>
Conical fork 30deg., 250/200/150mm dia., 1.5mm thick, mild steel						
11201255	EACH	1	0	0	<u>1</u>	<u>2</u>
Conical fork 30deg., 200/150/150mm dia., 1.5mm thick, mild steel						

PACKING SLIP



(901) 566-1110
www.jacob-tubing.com

ORDER NUMBER: 1697-11
ORDER DATE: 8/3/2011

SALESPERSON: 0001
CUSTOMER NO: 00-OSKAR

SOLD TO:
Avani
95 Cypress Drive
Youngsville, NC 27596

SHIP TO:
Centurion Tools, LLC
Fred Fitzsimmons PO #QB6243
637 Industrial Dr.
Louisa, VA 23093

CONFIRM TO:
Bob Venezia

CUSTOMER P.O.	SHIP VIA	FOB	TERMS	SHIP DATE:		
3443	SEE NOTES	Memphis TN	Net 30	8/25/2011		
ITEM NUMBER	UNIT	ORDERED	PRIOR SHIPMENT	BACK ORDER	QTY SHIPPED TODAY	BOX
11151431	EACH	4	0	0	4	2
Connecting flange, 150mm dia., 1.5mm thick, mild steel						
11151560	EACH	4	0	4	-	-
Throttle valve, 150mm dia., 1.5mm thick, mild steel						
12152903	EACH	30	0	0	30	1
Quick connect pull ring, 150mm dia., for 1mm-2mm tubing, galvanized						
10156951	EACH	25	0	0	25	1
U-shaped gasket, 150mm dia., for 1mm tubing, Perbunan (NBR)						
10156155	EACH	9	0	0	9	1
Ring seal for slip tubes 1.5mm thick, 150mm dia., Perbunan (NBR)						
12202903	EACH	5	0	0	5	1
Quick connect pull ring, 200mm dia., for 1mm-2mm tubing, galvanized						
10206951	EACH	5	0	0	5	1
U-shaped gasket, 200mm dia., for 1mm tubing, Perbunan (NBR)						
10206155	EACH	1	0	0	1	1
Ring seal for slip tubes 1.5mm thick, 200mm dia., Perbunan (NBR)						
12252903	EACH	10	0	0	10	1
Quick connect pull ring, 250mm dia., for 1mm-2mm tubing, galvanized						
10256951	EACH	8	0	0	8	1
U-shaped gasket, 250mm dia., for 1mm tubing, Perbunan (NBR)						
10256155	EACH	2	0	0	2	1
Ring seal for slip tubes 1.5mm thick, 250mm dia., Perbunan (NBR)						

PACKING SLIP



(901) 566-1110
www.jacob-tubing.com

ORDER NUMBER: 1697-11
ORDER DATE: 8/3/2011

SALESPERSON: 0001
CUSTOMER NO: 00-OSKAR

SOLD TO:
Avani
95 Cypress Drive
Youngsville, NC 27596

SHIP TO:
Centurion Tools, LLC
Fred Fitzsimmons PO #QB6243
637 Industrial Dr.
Louisa, VA 23093

CONFIRM TO:
Bob Veneiza

CUSTOMER P.O. 3443	SHIP VIA SEE NOTES	F.O.B. Memphis TN	TERMS Net 30	SHIP DATE: 8/25/2011
-----------------------	-----------------------	----------------------	-----------------	-------------------------

ITEM NUMBER	UNIT	ORDERED	PRIOR SHIPMENT	BACK ORDER	QTY SHIPPED TODAY	BOX
12302903 Quick connect pull ring, 300mm dia., for 1mm-2mm tubing, galvanized	EACH	10	0	0	<u>10</u>	<u>1</u>
10306951 U-shaped gasket, 300mm dia., for 1mm tubing, Perbunan (NBR)	EACH	8	0	0	<u>8</u>	<u>1</u>
10306155 Ring seal for slip tubes 1.5mm thick, 300mm dia., Perbunan (NBR)	EACH	2	0	2	<u>-</u>	<u>-</u>

INIT: RB

Packed by: FD Checked by: FD

PICKING SHEET

WAREHOUSE: 000 MAIN WAREHOUSE

ORDER DATE: 8/3/2011

ORDER NUMBER: 1697-11

SALESPERSON: 0001

CUSTOMER NO: 00-OSKAR

SOLD TO:

Avani
95 Cypress Drive
Youngsville, NC 27596

SHIP TO:

Centurion Tools, LLC
Fred Fitzsimmons PO #QB6243
637 Industrial Dr.
Louisa, VA 23093

CONFIRM TO: Bob Venezia

CUSTOMER P.O.	SHIP VIA	F. O. B.	TERMS	SHIP DATE
3443	SEE NOTES	Memphis TN	Net 30	8/25/2011

LOCATION	ITEM NUMBER	ORDERED	SHIPPED	BACK ORDER	SHIP DATE
1D32 Connecting flange, 150mm dia., 1.5mm thick, mild steel	11151431	4	<u>4</u>	0	8/25/2011
1D41 Elbow 60deg., 150mm dia., R=2D, 1.5mm thick, mild steel	11151346	3	<u>3</u>	0	8/25/2011
1D42 Elbow 90deg., 150mm dia., R=2D, 1.5mm thick, mild steel	11151349	5	<u>5</u>	0	8/25/2011
1F24 U-shaped gasket, 150mm dia., for 1mm tubing, Perbunan (NBR)	10156951	25	<u>25</u>	0	8/25/2011
1F28 Ring seal for slip tubes 1.5mm thick, 150mm dia., Perbunan (NBR)	10156155	9	<u>9</u>	0	8/25/2011
1F32 Quick connect pull ring, 150mm dia., for 1mm-2mm tubing, galvanized	12152903	30	<u>30</u>	0	8/25/2011
1H32 Conical fork 30deg., 200/150/150mm dia., 1.5mm thick, mild steel	11201255	1	<u>1</u>	0	8/25/2011
1H51 Ring seal for slip tubes 1.5mm thick, 200mm dia., Perbunan (NBR)	10206155	1	<u>1</u>	0	8/25/2011
1H52 U-shaped gasket, 200mm dia., for 1mm tubing, Perbunan (NBR)	10206951	5	<u>5</u>	0	8/25/2011
1H56 Quick connect pull ring, 200mm dia., for 1mm-2mm tubing, galvanized	12202903	5	<u>5</u>	0	8/25/2011

PICKING SHEET

WAREHOUSE: 000 MAIN WAREHOUSE

ORDER DATE: 8/3/2011

ORDER NUMBER: 1697-11

SALESPERSON: 0001

CUSTOMER NO: 00-OSKAR

SOLD TO:

Avani
95 Cypress Drive
Youngsville, NC 27596

SHIP TO:

Centurion Tools, LLC
Fred Fitzsimmons PO #QB6243
637 Industrial Dr.
Louisa, VA 23093

CONFIRM TO: Bob Venezia

CUSTOMER P.O.	SHIP VIA	F. O. B.	TERMS	SHIP DATE
3443	SEE NOTES	Memphis TN	Net 30	8/25/2011

LOCATION	ITEM NUMBER	ORDERED	SHIPPED	BACK ORDER	SHIP DATE
1M44	11251030 Tube, 250mm dia., 500mm long, 1mm thick, mild steel	1	<u>1</u>	0	8/25/2011
1O31	10256155 Ring seal for slip tubes 1.5mm thick, 250mm dia., Perbunan (NBR)	2	<u>2</u>	0	8/25/2011
1O45	10256951 U-shaped gasket, 250mm dia., for 1mm tubing, Perbunan (NBR)	8	<u>8</u>	0	8/25/2011
1P33	11251339 Elbow 90deg., 250mm dia., R=1D, 1.5mm thick, mild steel	1	<u>1</u>	0	8/25/2011
2A33	11301030 Tube, 300mm dia., 500mm long, 1mm thick, mild steel	2	<u>2</u>	0	8/25/2011
2D13	10306951 U-shaped gasket, 300mm dia., for 1mm tubing, Perbunan (NBR)	8	<u>8</u>	0	8/25/2011
2F14	12302903 Quick connect pull ring, 300mm dia., for 1mm-2mm tubing, galvanized	10	<u>10</u>	0	8/25/2011
2R34	12252903 Quick connect pull ring, 250mm dia., for 1mm-2mm tubing, galvanized	10	<u>10</u>	0	8/25/2011
SR	11151010 Tube, 150mm dia., 2000mm long, 1mm thick, mild steel	2	<u>2</u>	0	8/25/2011
SR	11151020 Tube, 150mm dia., 1000mm long, 1mm thick, mild steel	7	<u>7</u>	0	8/25/2011
SR	11201010 Tube, 200mm dia., 2000mm long, 1mm thick, mild steel	1	<u>1</u>	0	8/25/2011

Continued

PICKING SHEET

WAREHOUSE: 000 MAIN WAREHOUSE

ORDER DATE: 8/3/2011

ORDER NUMBER: 1697-11

SALESPERSON: 0001

CUSTOMER NO: 00-OSKAR

SOLD TO:

Avani
95 Cypress Drive
Youngsville, NC 27596

SHIP TO:

Centurion Tools, LLC
Fred Fitzsimmons PO #QB6243
637 Industrial Dr.
Louisa, VA 23093

CONFIRM TO: Bob Venezia

CUSTOMER P.O.	SHIP VIA	F. O. B.	TERMS	SHIP DATE
3443	SEE NOTES	Memphis TN	Net 30	8/25/2011

LOCATION	ITEM NUMBER	ORDERED	SHIPPED	BACK ORDER	SHIP DATE
SR	11201020 Tube, 200mm dia., 1000mm long, 1mm thick, mild steel	1	<u>1</u>	0	8/25/2011
SR	11251020 Tube, 250mm dia., 1000mm long, 1mm thick, mild steel	2	<u>2</u>	0	8/25/2011
SR	11151110 Slip tube, 150mm dia., 1000mm long, 1.5mm thick, mild steel	10	<u>10</u>	0	8/25/2011
SR	11201110 Slip tube, 200mm dia., 1000mm long, 1.5mm thick, mild steel	1	<u>1</u>	0	8/25/2011
SR	11251110 Slip tube, 250mm dia., 1000mm long, 1.5mm thick, mild steel	2	<u>2</u>	0	8/25/2011
SR	11301110 Slip tube, 300mm dia., 1000mm long, 1.5mm thick, mild steel	2	<u>2</u>	0	8/25/2011

Shipping Notes: *Ship Old Dominion Freight on truck with Lift Gate! Must arrive 9/1! call Fred Fitzsimmons 24hrs before ship, 540-967-5402*****

DIMS 81x32x29, 58x46x49 WEIGHT 326, 342 INIT. TJ